PFISTERER



KP-Test 5D dual

Non-contact high voltage detector for use on railway and utility company overhead power lines

KP-Test 5D dual

High voltage testing: simple, safe, non-contact.

Before carrying out repair and maintenance work, the five safety rules have to be applied. One of these is "check to make sure there is no voltage". This requires equipment that clearly and reliably indicates the voltage status. The KP-Test 5 series from PFISTERER meets the highest safety standards worldwide, and offers the right solution for every application. Now there is also a non-contact option, the new KP-Test 5D dual.

Non-contact testing method

The KP-Test 5D dual voltage detector works on the field probe principle. The field probe detects the electrical field surrounding the voltage detector. An evaluation unit monitors the field strength. If it exceeds a defined threshold, the voltage detector shows "operating voltage present". If the value is not reached, the device signals that no voltage is present.

Two testing ranges

The KP-Test 5D dual features outstanding flexibility for specific applications. It has two switching levels for testing different voltages and frequencies. At the same time, there are different device types for use in railway and transmission network scenarios. Thus voltages from 110 kV at 16.7 Hz or 110 kV 50 Hz up to 420 kV 50 Hz can be clearly detected.




The KP-Test 5D dual is a non-contact high voltage detector for use on railway and utility company overhead power lines.

More safety

Like all members of the KP-Test 5 family, the KP-Test 5D dual performs a reliable self-test when it is switched on. The test result is indicated via the proven dual system comprising a visual and an acoustic signal. In addition, a proportional acoustic warning signal makes it clear when the KP-Test 5D dual is approaching a live conductor – at an early stage, before the actual response threshold is reached. It works by sounding tones at decreasing intervals, like a vehicle reversing sensor.

Easy handling

With an overall length of less than one metre and weight of 1,080 grams, the KP-Test 5D dual is easy to handle in every situation – whether in use on a tower or while being transported in the ergonomic bag with shoulder strap. Hence the voltage detector offers additional safety in everyday use.



Anywhere, in any weather

Whether in rain, fog or temperatures between -25 °C and +70 °C, the KP-Test 5D dual reliably and safely detects voltage under all conditions. Extra powerful LEDs ensure a clearly visible signal – even against bright lights or in strong sunlight. The integrated acoustic signal can be clearly heard even in noisy environmental conditions – such as in wind on overhead power line towers.

Benefits

- Reliable self-test
- Clear signalling
- Visual and acoustic signal
- Proportional acoustic warning signal
- Lightweight and compact
- Use in any weather
- Tested to DIN VDE V 0682-417

KP-Test 5D dual in Numbers

Weight: 1,080 g

Length: 980 mm

Probe length: 270 mm

Length of insulating section: 520 mm

Handle length: 290 mm

Diameter of insulating section: 24 mm

Choosing the right product

	Railway applications	Utility company applications
Types	Level I: 110 kV 16,7 Hz Level II: 110 kV 50 Hz	Level I: 110 kV 50 Hz Level II: 220 - 420 kV 50 Hz
Article no. With carrying bag	930 470 501 / 00019	930 470 501 / 00010
Article no. Without carrying bag	930 470 501 / 00020	930 470 501 / 00015





PFISTERER

PFISTERER Holding AG

Rosenstraße 44 73650 Winterbach Germany

Phone: +49 7181 7005 0 Fax: +49 7181 7005 565

info@pfisterer.com www.pfisterer.com



In 1921, Karl Pfisterer founded his factory in Stuttgart for special electrical products with the aim of improving the world of power transmission. The PFISTERER Group has pursued this goal of quality and technological leadership for more than 100 years. Today, PFISTERER is one of the world's leading specialists and system suppliers for energy infrastructure – with a complete range of cable accessories, overhead line technology and components along the entire transmission chain from power generation to consumption. With state-of-the-art manufacturing processes and 1,200 employees at 18 international locations, PFISTERER not only connects the power grids of today and tomorrow, but also makes an important contribution to a sustainable and secure energy supply.