

Seaweed extract Fertilizer



Type A seaweed extract flakes:
Alginic acid $\geq 18\%$, $K_2O \geq 18\%$, moisture $\leq 10\%$,
organic matter 40%, PH 8-11.



Type B seaweed extract powder:
Alginic acid $\geq 18\%$, $K_2O \geq 18\%$, moisture
 $\leq 10\%$, organic matter 40%, PH 8-11.

Water soluble seaweed extract

1. ASCOPHYLLUM NODOSUM as raw material.
2. Rich in **alginic acid, seaweed polysaccharides, phenolic polymer compounds, mannitol, betaine, plant growth regulators and other nutrients.**

Features:

1. Regulate immunity.
2. Anti-resistance and yield increasing.
3. Improve fruit quality.
4. Root improvement

Specification	
Organic matters	48.9
Alginic acid	18.2
N	2.9
P ₂ O ₅	0.5
K ₂ O	18.7
Macroelements ((N+P ₂ O ₅ +K ₂ O))	22.1
PH	7.0-11.0

How to use:

Foliar spray: Dilute 1500-3000 times, stir and spray evenly.

Root irrigation or drip irrigation: diluted 800-1500 times, 400-1000 grams per Mu , the specific usage can be adjusted appropriately according to the local soil fertility.



Package:

1. 200g/bag*50bags/carton
2. 500g/bag*20bags/carton
3. 10 kg/paper kraft bag







海藻精

农作方 户: 钟军
 作物: 大豆
 方案: 海藻精
 拍摄时间: 2020.05.25 14:50
 天气: 多云 24℃
 地点: 德阳市广汉市高坪镇·高小路



海藻精

农作方 户: 钟军
 作物: 大豆
 方案: 海藻精
 拍摄时间: 2020.05.25 15:00
 天气: 多云 24℃
 地点: 德阳市广汉市高坪镇·高小路

今日水印
- 相机 -



海藻精

农作方 户: 钟军
 作物: 大豆
 方案: 海藻精
 拍摄时间: 2020.05.25 15:10
 天气: 多云 24℃
 地点: 德阳市广汉市高坪镇·高小路

今日水印
- 相机 -



对照

农作方 户: 钟军
 作物: 大豆
 方案: 常会对照
 拍摄时间: 2020.05.25 14:56
 天气: 多云 24℃
 地点: 德阳市广汉市高坪镇·高小路



对照

农作方 户: 钟军
 作物: 大豆
 方案: 常会对照
 拍摄时间: 2020.05.25 15:07
 天气: 多云 24℃
 地点: 德阳市广汉市高坪镇·高小路

今日水印
- 相机 -



对照

农作方 户: 钟军
 作物: 大豆
 方案: 常会对照
 拍摄时间: 2020.05.25 15:22
 天气: 多云 24℃
 地点: 德阳市广汉市高坪镇·高小路

今日水印
- 相机 -



