

Portable cabin Sanitary cabin Modular building



# You create jobs. We create the space for it.

### Portable cabin

You are expanding, refurbishing or wanting to change your office for other reasons? Mobile space solutions from the CONTAINEX CLASSIC Line are perfectly suited for this: quickly set up, manufactured in proven quality and precisely tailored to your needs. We offer many sizes and options. One thing is certain: We will find a way.

#### THE VERSATILE SPACE SOLUTION:

- Modular construction with flexible wall elements enables variable room sizes
- Panels in various specifications and with a number of glazing options
- Robust steel profile frame
- Optimal thermal insulation
- Various extras available
- Delivery as a flat-pack Transpack Cabin® possible as well



#### YOUR CABIN TYPES FOR OFFICE (BM) AND SANITARY (SA):



#### **BM/SA 10**°

L 2,989 mm W 2,435 mm H 2,591 mm



#### **BM/SA 16'**

L 4,885 mmW 2,435 mmH 2,591 mm



#### BM/SA 20'

L 6,055 mm W 2,435 mm H 2,591 mm



#### BM/SA 24'

L 7,335 mm W 2,435 mm H 2,591 mm



#### BM/SA 30'

L 9,120 mm W 2,435 mm H 2,591 mm



#### BM/SA-Box 5'

L 1,200 mm W 1,400 mm H 2,540 mm



#### BM/SA-Box 8'

L 2,400 mm W 1,400 mm H 2,540 mm

More details about the office and sanitary box can be found on our website.



#### **FLEXIBLE PANEL SYSTEM:**



















# Your project is unique. Just like our execution.

### Interior design

Practical – attractive – comfortable: Your space solution needs to meet many criteria. Thanks to our extensive range of options, you can design this individually for your specific purpose.

### HIGH-QUALITY INTERIOR DESIGN AS REQUIRED:

- Internal finish white or light oak
- Plywood or wood cement floor
- Various floor covers laid across links (e.g. CLASSIC Imperial grey)
- Category 2 light fittings, also available in an energy-saving LED version
- Comfort equipment e.g. air conditioning unit and integrated mini kitchen







## Fixed glazing

Our fully glazed options let in plenty of light and also define the functionality and character of the space.

#### STYLISH FULL GLAZING WITH TOP VENT:

- Attractive appearance
- State-of-the-art glazing options with Ug up to 0.7 (W/m²K)
- Options: double leaf glass door, tilting lever for top vent
- Exchange and combination with standard elements possible







### **Energy saving options**

In addition to high-quality thermal insulation and triple glazing, we offer a large number of equipment elements which protect the environment and reduce your costs.

#### **EFFICIENT USE OF ENERGY:**

- LED category 2 light fitting
- Electrical convector heater or fan heater with digital control
- Central heating control
- Motion or occupancy sensor
- Roller shutter box with insulation wedge





Cost-efficient and CO<sub>2</sub>saving

## Window and door grille

Protect your property effectively with guards for windows and doors.

#### **INCREASED SECURITY:**

- Protection against unauthorised entry
- Available for office and sanitary windows as well as different door widths





## Painting and decals

Give your portable cabin a distinctive look. With customised paintwork and decals, it will perfectly match your corporate identity.

#### **CORPORATE BRANDING:**

- High-quality paintwork according to CONTAINEX-RAL chart
- Long-lasting decals\* with high UV-resistance

## Canopy and fascia

A visual highlight but also functional: A fascia and/or a canopy add value to your portable cabin.

#### ATTRACTIVE EXTERIOR DESIGN:

- Paintwork independent of the cabin colour
- Positioning on long or short side
- Canopy available with or without support pillars



<sup>\*</sup>Initial order requires technical specifications.

# You want comfort. We spoil you with choice.

## Sanitary cabin\*

When you use sanitary cabins, hygiene and cleanliness play a main role. Our WC and sanitary cabins offer convenient facilities with fresh water instead of chemicals – ideal also for long-term use.

#### WC AND SANITARY CABINS FOR EVERY DEMAND:


- Quickly set up and ready for immediate use
- High-quality insulation
- Optional with steel interior
- Various designs available: e.g. ladies WC, gents WC, unisex WC, shower cabin, wash cabin, disabled access and much more

\*WRAS approved



Robust and high-quality sanitary fittings





## **Interior fittings**

The interior equipment of sanitary cabins can be flexibly tailored to your requirements.

#### **FUNCTIONAL EQUIPMENT:**

- 2 or 4 tap hand wash trough and shower cubicles made of sturdy, joint-free GRP
- Non-slip floor cover including skirting on water- and germ-resistant, wood cement floor boards
- Shatter-proof metal mirror
- Floor cover slip resistance: R9 to R11
- Single ceramic hand wash basin in different sizes

### **Hot water**

Ensure a reliable supply of cold and hot water with our sanitary solutions.

#### **SOPHISTICATED HOT WATER PREPARATION:**

- Boiler with 5, 15, 50, or 150 litres\*
- Water connection through the floor or recessed into the wall

## Accessible sanitary cabins

Our sanitary cabins with disabled access provide a tried and tested, high-quality solution.

#### **CERTIFIED QUALITY\*:**

- Robust and high-quality equipment for reassuring safety and security e.g. Eurokey locks, alarm lights, alarm pull cord switches
- Available in various combinations e.g. female/male/accessible



<sup>\*</sup>Country specific variations possible.

<sup>\*</sup>Certification according to DIN 18040-1 (reg. no. P1B064)

## Sanitary energy-saving options

If you use water and electricity sensibly, you reduce your costs and at the same time do something for the environment.

#### **ENERGY-SAVING EQUIPMENT:**

- Tap with start/stop function
- Flushing cistern with water saving device
- Waterless urinal
- LED light
- Motion detector for light
- Optional: non-contact sanitary fittings and stainless steel components







## **Event sanitary cabin**

Adequate sanitary facilities in confined spaces are essential for events. Our event sanitary cabin provides an uncomplicated solution.

#### THE HYGIENIC SANITARY SOLUTION FOR EVENTS:

- Promptly available and set up quickly
- Available in different versions
- Up to 16 toilets or 12 showers in one sanitary cabin
- Fresh water instead of chemicals
- Showers with hot water boiler



# You have individual requirements. We have tailor-made solutions.



## WC and sanitary cabin

From the 5' WC cabin to the large sanitary facility: We design a solution to meet your needs. Room layout and equipment options are flexible.















# You think limitless. We execute your ideas.

### **Modular buildings**

Thanks to the flexible construction, our modules can be combined to create complex space solutions. You can determine the room layout and equipment to meet your needs. The interchangeable wall panels open up countless possibilities.

#### FLEXIBLE MODULAR SYSTEM:

- Extendable and adaptable at any time through simple assembly and disassembly
- Solid steel profile frame and galvanised profiled sheet metal
- Can be stacked up to 3-high taking into account floor loads, snow loads, etc. – according to our technical description
- Optimal thermal insulation for a high level of comfort



#### **BUILDING EXAMPLES:**



**Construction office** 



Show and sales room



Staff and common rooms



Office extension



Backup office space with terrace



**Industrial office** 



# You want to develop. We create scope for development.

### External staircase module

If you want to get to the top, you need a staircase – or an external staircase module that connects multiple floors.

### PRACTICAL EXTERNAL STAIRCASE MODULES:

- Construction design (16') for the construction site
- Classic design (20') for publicly accessible areas
- With integrated external steel staircases and a flexible handrail system




### Internal staircase module

In order to get from one floor to the next, you can also integrate internal staircase modules.

### SOLID INTERNAL WOODEN STAIRCASE IN 2 OPTIONS:

- Straight wooden internal staircase
- Internal wooden staircase with landing





**FLEXIBLE SPACES:** 

- Robust frame construction
- Available with or without roof
- Available with or without handrail
- Optional wooden cladding made from Siberian larch - ideal as a smoking shelter

recreational areas. Terrace modules can be used individually or as

- Grey WPC floorboards made of 150 x 25 mm slats
- Power/lighting optional
- Painted according to CONTAINEX RAL chart



## Corridor cabins

Larger modular buildings need to be well thought out. Our corridor cabins help you to design the paths in the building in a meaningful way.

#### FROM ROOM TO ROOM WITH EASE:

- Connect different room modules
- Individual design from small space solutions to large office complexes
- Available with or without wall panels




You get an overview. We pay attention to all the details.

### Modular buildings

With the mobile space modules, your modular building can be flexibly designed and precisely adapted to your requirements.









# You look for safety. We show you the way.

### Insulation

Rely on optimal thermal insulation all around.

#### **EQUIPPED FOR ALL TEMPERATURES:**

- Roof insulation: U<sub>max</sub> value from 0.15 to 0.36
- Wall insulation: U<sub>max</sub> value from 0.20 to 0.57
- Floor insulation: U<sub>max</sub> value from 0.12 to 0.55
- Window insulation: U<sub>a</sub> value from 0.7 to 1.1
- Door insulation: U<sub>d</sub> value from 0.87 to 1.9
- Insulation options: mineral wool, PU (polyurethane), PIR (polyisocyanurate) or rock wool

 $U_{max}$  value = maximum heat transfer coefficient in W/m<sup>2</sup>K  $U_g$  value = heat transfer coefficient of the pane package in W/m<sup>2</sup>K  $U_d$  value = heat transfer coefficient of the door in W/m<sup>2</sup>K







### **Fire protection**

Our fire protection system is suitable for single cabins and modular buildings. It is characterised by a quick assembly and high fire resistance classes.

#### **DURABLE COMPONENTS:**

- Fire protection for the roof: depending on the insulation option, fire resistance REI 30, 60 or 90, U-value from 0.15 to 0.36
- Fire protection for wall elements: depending on the insulation option, fire resistance El 30 or 90, U-value from 0.20 to 0.66

U-value = Heat transfer coefficient in W/(m²K)
REI/EI: R = Load bearing capacity, E = Partition, I = Insulation



# Cabin types and equipment options

Length mm (external)         2,889         4,885         6,055         7,335         9,120         1,200         2,400           Width mm (external)         2,435         2,435         2,435         2,435         2,435         2,435         1,400         1,400           Height* mm (external)         2,591         2,592         2,592         2,592 <th>Dimensions</th> <th>BM/SA 10'</th> <th>BM/SA 16'</th> <th>BM/SA 20'</th> <th>BM/SA 24'</th> <th>BM/SA 30'</th> <th>BM/SA-Box 5'</th> <th>BM/SA-Box 8'</th>	Dimensions	BM/SA 10'	BM/SA 16'	BM/SA 20'	BM/SA 24'	BM/SA 30'	BM/SA-Box 5'	BM/SA-Box 8'
Height mm (external)	Length mm (external)	2,989	4,885	6,055	7,335	9,120	1,200	2,400
Package height   2-4 mm (enternal)   648   648   648   648   648   648   648   7-4   7-4	Width mm (external)	2,435	2,435	2,435	2,435	2,435	1,400	1,400
Length mm (inward)	Height <sup>1</sup> mm (external)	2,591	2,591	2,591	2,591	2,591	2,540	2,540
Width mm (inward)         2,240         2,240         2,240         2,240         2,240         2,240         2,240         2,240         2,240         2,340	Package height <sup>2,4</sup> mm (external)	648	648	648	648	648	-	_
Height* mm (inward)	Length mm (inward)	2,795	4,690	5,860	7,140	8,925	1,055	2,255
Room size* in m*(ounded)   6.3   10.5   13.1   16.0   20.0   1.3   2.8	Width mm (inward)	2,240	2,240	2,240	2,240	2,240	1,255	1,255
Weight № kg         from 1,290         from 1,690         from 1,930         from 1,930         from 1,930         from 2,710         350         570           Package weight № kg         from 1,350         from 1,750         from 1,990         from 2,710         from 2,770         —         —           Design options           Internal finish (white/light oak)         Image: Color of 100 colors	Height <sup>1</sup> mm (inward)	2,340	2,340	2,340	2,340	2,340	2,200	2,200
Package weight   kg	Room size <sup>2</sup> in m <sup>2</sup> (rounded)	6.3	10.5	13.1	16.0	20.0	1.3	2.8
Design options	Weight <sup>2</sup> kg	from 1,290	from 1,690	from 1,930	from 2,250	from 2,710	350	570
Internal finish (white/light oak)	Package weight <sup>3</sup> kg	from 1,350	from 1,750	from 1,990	from 2,310	from 2,770	_	-
Internal finish (white/light oak)  Plywood/Wood cement board  Selection of floor covers  Various types of lighting  Air conditioner  Mini kitchen  Sanitary version  Fixed glazing  Energy saving options  Window and door grille  Painting and decals  Canopy and fascia  Hot water  Accessible sanitary cabins  Event sanitary cabins  Fire protection design  Supplementary cabin types  External staircase module	Design options							
Plywood/Wood cement board  Selection of floor covers  Various types of lighting  Air conditioner  Mini kitchen  Sanitary version  Fixed glazing  Fixed glazing  Fixed glazing  Fixed particles and decals  Canopy and fascia  Hot water  Accessible sanitary cabins  Fixen sanitary cabins  Fixen sanitary cabins  Fixen protection design  Fixen protection design  External staircase module  Fixen and the call staircase module  Fixen protection design	Interior options e.g.							
Selection of floor covers  Various types of lighting  Air conditioner  Mini kitchen  Sanitary version  Fixed glazing  Mini kitchen  Mini kitch	Internal finish (white/light oak)							
Various types of lighting  Air conditioner  Mini kitchen  Mini kitchen  Sanitary version  Fixed glazing  Fixed glazing  Mini kitchen  Mini kit	Plywood/Wood cement board							
Air conditioner  Mini kitchen  Sanitary version  Fixed glazing  Fixed glazing  Mini kitchen  Mini ki	Selection of floor covers							
Mini kitchen  Sanitary version  Fixed glazing  Energy saving options  Window and door grille  Painting and decals  Canopy and fascia  Hot water  Accessible sanitary cabins  Event sanitary cabin  Thermal insulation options  External staircase module  Fixed glazing  Fixed glazi	Various types of lighting						_	
Sanitary version  Fixed glazing  Energy saving options  Window and door grille  Painting and decals  Canopy and fascia  Hot water  Accessible sanitary cabins  Event sanitary cabin  Thermal insulation options  External staircase module  Terrace module  Accessioned  Terrace module  Tixed glazing  Tixed glaz	Air conditioner						_	
Fixed glazing  Energy saving options  Window and door grille  Painting and decals  Canopy and fascia  Hot water  Accessible sanitary cabins  Event sanitary cabin  Thermal insulation options  External staircase module	Mini kitchen						_	_
Energy saving options  Window and door grille  Painting and decals  Canopy and fascia  Hot water  Accessible sanitary cabins  Event sanitary cabin  Thermal insulation options  Fire protection design  External staircase module  Terrace module  Painting and decals  Decay and fascia	Sanitary version							
Window and door grille  Painting and decals  Canopy and fascia  Hot water  Accessible sanitary cabins  Event sanitary cabin  Thermal insulation options  Fire protection design  External staircase module  Terrace module	Fixed glazing						_	_
Painting and decals  Canopy and fascia  Hot water  Accessible sanitary cabins  Event sanitary cabin  Thermal insulation options  Fire protection design  Supplementary cabin types  External staircase module	Energy saving options						_	
Canopy and fascia  Hot water  Accessible sanitary cabins  I I I I I I I I I I I I I I I I I I I	Window and door grille						_	_
Hot water  Accessible sanitary cabins  Event sanitary cabin  Thermal insulation options  Fire protection design  Supplementary cabin types  External staircase module  Internal staircase module	Painting and decals							
Accessible sanitary cabins  Event sanitary cabin  Thermal insulation options  Fire protection design  Supplementary cabin types  External staircase module  Internal staircase module	Canopy and fascia						_	-
Event sanitary cabin	Hot water							
Thermal insulation options  Fire protection design  Supplementary cabin types  External staircase module  Internal staircase module	Accessible sanitary cabins						_	_
Fire protection design	Event sanitary cabin	_	-			_		
Supplementary cabin types  External staircase module	Thermal insulation options							
External staircase module         - <td>Fire protection design</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>_</td> <td>-</td>	Fire protection design						_	-
Internal staircase module         - <td>Supplementary cabin types</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Supplementary cabin types							
Terrace module	External staircase module	_			_	_	-	-
_	Internal staircase module	_	-				-	-
Corridor cabin – – – – – – –	Terrace module	_	-		-	_	-	-
	Corridor cabin	_		_		_	_	_

#### Legend:

■ Available □ Partly available

All images and equipment options shown in the brochure are symbolic. The actual design may vary.

<sup>&</sup>lt;sup>1</sup>Also **available with external height 2,800 mm/internal height 2,540 mm** and **external height 2,960 mm/internal height 2,700 mm** with the exception of the office and sanitary box. <sup>2</sup>Basic portable cabin in standard design. <sup>3</sup>Depending on layout. <sup>4</sup>Transpack Container® delivery is not possible with all equipment options.

# You want the best support. We are here for you.



### Advice & service

Customer and service orientation are the main focus at CONTAINEX an Austrian family-owned company. We're happy to help!

- Decades of experience
- Advice and planning on site and in your native language
- Long-term supply of spare parts
- Various financing options
- Buy back guarantee for CONTAINEX cabins

# Delivery & installation

Depending on customer requirements and location, we deliver our flexible modules pre-assembled or flat-packed as a Transpack Container® for final assembly on site.

- Optimisation of transport costs
- CO<sub>2</sub> reduction on delivery
- Fast delivery and easy assembly



**Delivered assembled** 



Or flat-packed as Transpack® in a package



## Production

Quality is very important to us. That's why our portable and sanitary cabins are produced in our own European production plants.

- Our own European certified production plants
- State-of-the-art and environmentally-friendly manufacturing technologies
- Use of high-quality materials
- Ongoing quality checks
- Compliance with strict environmental and quality standards

















# Environmental protection – made in Europe

We place particular emphasis on compliance with strict environmental and quality standards. These are summarised in our CONTAINEX GREEN technology certificate.

#### **CONTAINEX GREEN TECHNOLOGY STANDS FOR:**

- **Recycling:** We use materials that can be recycled.
- **Energy efficient and eco-friendly:** We only produce in our own certified production plants in Europe.
- **CO<sub>2</sub> reduction:** We place great emphasis on reducing CO<sub>2</sub> emissions as well as pollutants during production, transport and ongoing container/cabin use.
- **Control:** We ensure that environmental audits and quality controls are continuously carried out in our production plants.
- **Sustainability:** Our cabins are extremely durable because quality comes before quantity.

Convince yourself of our high standards. We are happy to help you.

Further information about the environmental and quality measures taken by CONTAINEX can be found in the current SHEQ-report (Safety/Security-Health-Environment-Quality). You can request this from your CONTAINEX sales manager.



# You have high expectations. We want to exceed them.

## Case Studies

The potential uses of our cabins are almost unlimited. Whether as office buildings, staff accommodation, showrooms, canteens, recreation rooms or construction offices: After more than 40 years in this industry, we know how to inspire our customers with well thought-out solutions.

WE LOOK FORWARD TO NEW CHALLENGES.

















#### **CONTAINEX Container-Handelsgesellschaft m.b.H.**

AT-2355 Wiener Neudorf, IZ NÖ-Süd, Straße 14

Phone DK: +45 32 4255-60 Phone GB: +44 20 353066-20 Phone international: +43 2236 601-0

E-mail: ctx@containex.com www.containex.com

A WALTER GROUP company