

## Type ZS 200N 3D


Cutting capacity at 90 °	420mm option 500mm
Cutting capacity at 45 °	295mm
Cutting height at 90 °	200mm
Cutting height at 45° tilt	140mm
Angle adjustment range	45-90-22°
Angle adjustment range for tilt	60-90-30°

## Beamworks

TigerAngle 3D for controlling the TigerStop pusher and saw angles

Cutting pattern optimising  
Import function for text files and files from drawing programs

Multitool functions for controlling tools such as notchers, drills, etc.




## Type ZS 170N 2D

Cutting capacity at 90 °	450mm
Cutting capacity at 45 °	310mm
Cutting height at 90 °	170mm
Cutting height at 45° tilt	115mm
Angle adjustment range	45-90-25°
Angle adjustment range for tilt (manually)	45-90-60°

PC with touchscreen and PC-stand

Label configuration

### Example: Tiger Angle with Graule ZS 200N and TigerStop 6.8



# Tiger Angle



# Cross cut saw for the building industry

Efficient and flexible saw  
for your wall, roof and truss components



Aluminium



Wood



PVC



Automatic positioning with Tigerstop pusher system




Many cutting possibilities for optimum yield  
Timber length up to 8.5 m standard  
(Option up to 15 m)



Maximum cross-sections up to 200 x 420 mm  
Precision 0,05 degrees



Automatic angle adjustment with Tigerstop Servo drive



Beamworks TigerAngle 3D for controlling the TigerStop pusher and saw angles

