

Aeroflex® - The convincing air-conduction system on the roof.

Aeroflex® offers intelligent quality for the ridge and the hip and brings exceptional advantages: Top quality, easy and economical handling, that will pay off in the long term. Working is very easy and can be done in five steps. Make use of the advantages of the Aeroflex®-products, and your customer will be grateful for your choice.

Aeroflex® 200 - The multi-functional roll

The versatile sealing strip can be laid on all sealing materials on the roof, e.g. on concrete or clay tiles. It is highly resistant against coldness and heat due to its perfectly matched component parts which allow for the unconditional function of the conduction roll.



Aeroflex® 300 - The metal roll

This sealing strip is hardly impregnable and resistant to ageing, thanks to its varnished aluminium. Therefore it is a secure protection against UV radiation, ozone, and climatic conditions. The ventilation is optimised through the large over-average ventilation cross-section.



Aeroflex® 400 - The classic roll


Due to the special formulation of elastomere rubber in combination with strong metal strips made of aluminium or copper makes it extremely resistant and resistant to ageing. It therefore provides advantages such as protection against UV radiation, ozone and other environmental influences.



Aeroflex® 500 - The airy and robust roll

This roll provides interesting features such as the special sewing of the aluminium and copper strips and the bordered edges. This ensures a absolutely secure sealing for the roof. Another advantage is the outstanding ventilation for modern flat and oversized tiles.







Ventilation for your roof in 5 easy steps:

- 1 roll Aeroflex® out on the ridge lath
- 2 align
- 3 tack firmly in place
- 4 remove adhesive protection strip
- 5 form metal strips to fit the roof covering


Benefit from the advantages, and work with Aeroflex®.

- → The system can be used universally for the ridge and the hip area and for almost all concrete roofing tiles and bricks
- → The tear-resistant base material is of outstanding high quality, so it offers reliable protection against UV radiation, ozone or other environmental influences
- Optimised middle-strips ensure permanent air permeability
- → AEROFLEX® is available in 5 m or 10 m rolls (2 rolls per case, 18 cases per pallet), with a standard width of 300 mm and other dimensions
- Available in many colours: Tile red, dark brown, anthracite, blue, green, etc. Additional colours are available on request
- → Butyl strip with silicone cover sheeting: Very high resistance to UV radiation, outstanding durability, water resistant. Adhesive system is not activated until the cover sheeting has been removed
- → Additional saddle piece of aluminium wave section for better alignment and fixing to the ridge lath with stabilising strip, which can be printed with your company label on request

ALUFLEX®, KAMOFLEX®, ROOFLEX® - a perfect sealing team!

Durability, good adaptability and high quality are the advantages of these three professional sealing strips. No more compromises. In our product range you will find all the good properties united in one team. Schmid has the fast and reliable products for durable and high quality sealing.

For more information visit www.bosig.de




Kamoflex®

The intelligent sealing for connection and joint sealing on chimneys, walls and other upright structural elements. Kamoflex® is ideally adaptable due to the variety of possible folding points, and secures optimal sealing by its fully coated adhesive layer. The appealing look provides for more aesthetics, especially on non-corrugated roofs.

Kamoflex® with plain surface

This product is made of a plain, colour-coated aluminium surface and an adhesive butyl layer for joint and connection work on chimneys, walls and other upright structural elements. The surface structure is very plain, when being compared to the classic Kamoflex*.



ALUFLEX®

ALUFLEX® is a profiled one-sided self-adhesive sealing strip, and the quick alternative to sheet metal and lead on all typical connection points.

Rooflex®

The special surface, the perfect look and the outstanding adaption make ROOFLEX® a perfect sealing system. The strip provides, thanks to its butyl rubber adhesive, durable adhesion and is easier to fit than other sealing strips.



SB-FLEX® valley sealing strips - Sealing made easy.

Sealing is very easy, thanks to SB-FLEX® valley sealing strips – for perfect and reliable seals at valley joints. The flexible v formation enables rapid working and a perfect and protected seal. The self-adhesive system is very practical. Overstretching of the sealing strip is not possible.





